

Helper Welfare

Assessor: Josh Foye

Reviewed by: C Tompkins 18.05.2025

Hazard	Who Might Be Harmed	Is the Risk Adequately Controlled, or is More	Review and Revision
Hazara	Willo Milght De Harmed	Needed Clear, laminated instructions for using the coffee	Teview and Revision
Burns from coffee maker due to incorrect use	Helpers	machine correctly to be provided in helper welfare	
		area.	
		a. 6a.	
		Warnings from the user manual to be made visible	
		to users in the helper welfare area. Equiptment to be installed by competent members	
Electrical Hazard from Coffee Maker and other electrical kitchen applicances	Helpers	of the S&E Site Team.	
		of the SQL Site ream.	
		Coffee maker will be switched off when not in use	
		overnight.	
Burns from hot water/coffee maker due to spillages	Helpers	on a flat surface in helper welfare area.	
		on a hat surface in helper wellare area.	
		To avoid spillages by falling cups: area to be	
		regularly checked for clutter and spillages during the	
		events, and auto-fill to be used where possible, to	
		reduce risk of overflowing the machine causing	
		slippy conditions on the table.	
		Position away from edge of table to avoid accidental	
		contact	
Burns, spills, trips during helper supper service	Helpers	To prevent overcrowding in the Helper Welfare	
		area, the self-service helper check-in will be located	
Allergerns from snacks	Helpers	in Admin, rather than the helper area Snacks stay in original packaging, which will have	
		allergerns printed on them	
		No snacks containing nuts will be provided by the	
		event Fire extinguisher (suitable for electrical and fat fires)	
Fire Hazard from Kitchen Appliances	Everyone	and fire blanket in place	
		·	
		- Cooking appliances only used by trained, named	
		individuals	
		Clear evit route maintained from eaching area, both	
		Clear exit route maintained from cooking area, both through Admin and the other side.	
		an sagnificant and the other olde.	
		No overloading of power sockets Storage for helpers kit to be provided. Clutter to be	
Slips/Trips due to clutter	Helpers		
		moved out of helper area.	
		Cables to be routed away from walkways or covered	
		with cable protectors	